



Product List



Coding machines

Coding experts ready to assist you

Easy coding, simple control

Drucker α1



Specifications

Screen Size:	7 inch full color touch screen
Print dots:	24dots(4line)
Print speed:	1 line: 220m/min 2 line: 115m/min 3 line: 60m/min 4 line: 30m/min
Nozzle Size:	55 μ /60 μ /70 μ
Special:	Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Print height 1-15mm

Umbilical hose length 2.5m

Expand port Ethernet, RS232, USB

Physical characteristics Made in China brushless suction pump & pressure pump

IP Level Ip54

Suitable for low speed application



Cable



Bottles



Can



Egg



LED



Bathroom

Drucker α1 Plus



Specifications

Screen Size:	10 inch full color touch screen
Print dots:	48dots(8line)
Print speed:	1 line: 220m/min 2 line: 115m/min 3 line: 60m/min 4 line: 30m/min
Nozzle Size:	55 μ /60 μ /70 μ
Special:	Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Print height 1-22mm

Umbilical hose length 3m

Expand port Ethernet, RS232, USB

Physical characteristics Made in USA gear pressure pump & made in German diaphragm suction pump

IP Level Ip54

Suitable for big and beautiful print



Cable



Bottles



Can



Egg



Pipe



LED



Bathroom



Carton



Medicine



Cement



Auto parts



Glove

Drucker α1 Plus High Speed



Specifications

Screen Size:	10 inch full color touch screen
Print dots:	48dots(8line)
Print speed:	1 line: 400m/min 2 line: 200m/min 3 line: 80m/min 4 line: 40m/min
Nozzle Size:	42 μ /55 μ /60 μ
Special:	Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Print height 1-15mm

Umbilical hose length 3m

Expand port Ethernet, RS232, USB

Physical characteristics Made in USA gear pressure pump & made in German diaphragm suction pump

IP Level Ip54

Suitable for high speed industry and small print industry



High speed cable line



High speed beverage line



Electric board



Medicine

Drucker α1 Plus Super High Speed



Specifications

Screen Size:	10 inch full color touch screen
Print dots:	48dots(8line)
Print speed:	1 line: 600m/min 2 line: 400m/min 3 line: 200m/min 4 line: 100m/min
Nozzle Size:	42 μ /55 μ
Special:	Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Print height 1-15mm

Umbilical hose length 3m

Expand port Ethernet, RS232, USB

Physical characteristics Made in USA gear pressure pump & made in German diaphragm suction pump

IP Level Ip54

Suitable for super high speed industry



High speed cable line



High speed beverage line

Drucker α1 Plus Pigmented



Specifications

Screen Size:	10 inch full color touch screen
Print dots:	48dots(8line)
Print speed:	1 line: 220m/min 2 line: 115m/min 3 line: 60m/min 4 line: 30m/min
Nozzle Size:	55 μ /70 μ
Special:	Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Print height 1-15mm

Umbilical hose length 3m

Expand port Ethernet, RS232, USB

Physical characteristics Made in German diaphragm pressure pump & suction pump

IP Level Ip54

Suitable for big and beautiful print with pigment ink



Cable



Auto parts



Pipe

Drucker α1 Plus High Speed Pigmented



Specifications

Screen Size:	10 inch full color touch screen
Print dots:	48dots(8line)
Print speed:	1 line: 400m/min 2 line: 200m/min 3 line: 80m/min 4 line: 40m/min
Nozzle Size:	55 μ /70 μ
Special:	Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Print height 1-15mm

Umbilical hose length 3m

Expand port Ethernet, RS232, USB

Physical characteristics Made in German diaphragm pressure pump & suction pump

IP Level Ip54

Suitable for high speed print with pigment ink



Cable

Drucker Static Fiber Laser



Specifications

Coding area: 110*110mm/220*220mm

Wave length: 1064nm

Print speed: 15000mm/s

Power rate: 20W/30W

Generate: Made in China/ Made in USA

Special: True font, Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Power supply 220v/50hz/5A

Cabinet Aluminium

Expand port Ethernet, RS232, USB

Accessories Desk, foot control

IP Level Ip54

Suitable material



LED Light



PE



Jewelry



Metal

Drucker Fly Fiber Laser



Specifications

Coding area: 110*110mm/220*220mm

Wave length: 1064nm

Print speed: 15000mm/s

Power rate: 20W/30W

Generate: Made in China/ Made in USA

Special: True font, Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Power supply 220v/50hz/5A

Cabinet Aluminium

Expand port Ethernet, RS232, USB

Accessories Bracket, sensor

IP Level Ip54

Suitable material



LED Light



PE



Jewelry



Metal

Drucker Static Co2 Laser



Specifications

Coding area: 110*110mm/220*220mm

Wave length: 10.6um/10.2um/9.3um

Print speed: 15000mm/s

Power rate: 20W/30W

Generate: Made in China/ Made in USA

Special: True font, Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Power supply 220v/50hz/5A

Cabinet Aluminium

Expand port Ethernet, RS232, USB

Accessories Desk, foot control

IP Level Ip54

Suitable material



Paper



Plastic



Timber



Glass

Drucker Fly Co2 Laser



Specifications

Coding area: 110*110mm/220*220mm

Wave length: 10.6um/10.2um/9.3um

Print speed: 15000mm/s

Power rate: 20W/30W

Generate: Made in China/ Made in USA

Special: True font, Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Power supply 220v/50hz/5A

Cabinet Aluminium

Expand port Ethernet, RS232, USB

Accessories Bracket, Sensor

IP Level Ip54

Suitable material



Paper



Plastic



Film



Cable

Drucker Static UV Laser



Specifications

Coding area:	70*70mm/110*110mm
Wave length:	365nm
Print speed:	70m/s
Power rate:	3W/5W/8W/10W/15W
Generate:	Made in China/ Made in USA
Special:	True font, Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Power supply 220v/50hz/5A


Cabinet Aluminium

Expand port Ethernet, RS232, USB

Accessories Desk, foot control

IP Level Ip20

Suitable material



Paper



Cable/Wire



Film



Plastic

Drucker Fly UV Laser



Specifications

Coding area:	70*70mm/110*110mm
Wave length:	365nm
Print speed:	70m/s
Power rate:	3W/5W/8W/10W/15W
Generate:	Made in China/ Made in USA
Special:	True font, Logo, Autodate, Counter, Barcode, Code39, QR code, Datamatrix

Power supply 220v/50hz/5A


Cabinet Aluminium

Expand port Ethernet, RS232, USB

Accessories Bracket, Sensor

IP Level Ip20

Suitable material



Paper



Cable/Wire



Film



Plastic

We supply coding equipment with coding solutions



Call: +64 21 02632619

Website: www.integratech.co.nz

Email: info@integratech.co.nz

Integratech Specialists (NZ) Ltd